Index of authors

Abdelhaiz AH, Heart failure in older people: causes, diagnosis and treatment, 29

Abulafi AM, see George ML, 80 Alen M, see Kallinen M, 247

Allain TJ, see Dhesi JK, 267

Al-Sardar H, Locked-in syndrome caused by basilar artery ectasia, 481

Anders J, see Stuck AE, 463

Antonello RM, see Moretti R, 79

Arnold N, Elderly medical inpatients screening positive for depression may show spontaneous improvement after discharge, 397

Aspray TJ, Purity, pragmatism and hip protector pads (Letter), 319

Baldwin R, see Yohannes AM, 137

Ballard C, see Ford GA, 225

Bandyopadhyay S, β-blockers in left ventricular systolic dysfunction—from evidence to practice, 23

Banning A, see Dudley NJ, 37 Barbisoni P, see Rozzini R, 277

Barton AL, Caval filter placement for pulmonary embolism in a patient with a deep vein thrombosis and primary intracerabral haemorrhage, 144

Bärtsch P, see Hauer K, 49

Bava A, see Moretti R, 79

Bayer A, see Elwood PC, 43

Bedford C, see Lawlor DA, 169
Beloosesky Y, Brain abscess complicating cerebral infarct,

Bennett G, Elder abuse, 329

Bennett KM, Low level social engagement as a precursor of mortality among people in later life, 165

Beringer T, Hypovitaminosis D and 'functional hypoparathyroidism' – the NoNoF (Nottingham Neck of Femur Study (Letter), 486

Bexton R, see Richardson DA, 379

Binetti G, see Zanetti O, 193

Birks Y, see Torgerson D, 319

Bisin Z, see Moretti R, 79

Blackman I, see Dudley NJ, 37

Blake H, An evaluation of screening measures for cognitive impairment after stroke, 451

Bodagh IYO, see Madan S, 70

Bond M, see Dudley NJ, 37

Botta F, see Giannini E, 457

Bowling A, Are older people willing to give up their place in the queue for cardiac surgery to a younger person?, 187; see also Dudley NJ, 37

Box O, see Macdonald AJD, 58

Bradley KM, see Williams JH, 440

Brain G, see Close JCT, 488

Breeze E, see Fletcher A, 11; see also Fletcher A, 409

Briggs PJ, see Sayer AA, 468

Briggs R, see Sayer AA, 468

Budge MM, see Williams JH, 440

Burke NJ, see Harwood RH, 401

Burleigh E, Can doctors predict patients' abbreviated mental test scores, 303

Cameron ID, Purity, pragmatism and hip protector pads (Letter), 319

Campbell AJ, Purity, pragmatism and hip protector pads (Letter), 319

Cardiovascular Health Study Investigators, see Kaplan RC, 217

Carpenter Gl. see Macdonald AID, 58

Carpenter I, Clinical and research challenges of intermediate care. 97

Carrington CA, Spontaneous baroreflex sensitivity in young and older people during voluntary and electrically evoked isometric exercise, 359

Castleden CM, Geriatric medicine on the web, 313

Cazzato G, see Moretti R, 79

Chan DKY, see Low JA, 17

Chang M, see Shigematsu R, 261

Chen X, see Sayer AA, 468

Chesser TJS, The influence of outside temperature and season on the incidence of hip fractures in patients over the age of 65, 343

Close JCT, Falls in the older population: a pilot study to assess those attended by London Ambulance Service but not taken to A&E (Letter), 488; see also Dhesi JK, 267

Cohen M, see Wagg A, 241

Collins DR, Hiccoughs—an unusual dyskinetic side-effect of L-Dopa, 405

Collins J, see Mitchell RM, 323

Connolly M, see Yohannes AM, 137

Connolly MJ, see Yohannes AM, 355

Cooper C, see Sayer AA, 468

Cooper LS, see Kaplan RC, 217

Crome P, Measuring disability and mortality following relocation within the NHS, 414; see also Prevalence of faecal incontinence (Letter), 322

Crowe S, Should people with cognitive impairment be looking after young children? (Letter), 487

Cuene-Grandidier, H. see O'Reilly D, 385

Cumming RG, see Cameron ID, 319

Curnock E, Older people's views on the treatment and prevention of influenza in older people (Letter), 322

Curtis NJ, Irreversible nephrotoxicity from demeclodycline in the treatment of hyponatraemia (Letter), 151

Cvoro V, Inferior vena caval filters or anticoagulation for patients with haemorrhagic stroke complicated by venous thromboembolism?, 85

Dapp U, see Stuck AE, 463 Davie J, see Burleigh E, 303 Day INM, see Sayer AA, 468 De vreese LP, see Zanetti O, 193

Delgrange E, Diagnosis and treatment of prolactinomas in older people (Letter), 321

Dennis MS, see Mead GE, 429

Dhesi JK, A rationale for vitamin D prescribing in a falls clinic population, 267

Di Giovanni G, see Zanetti O, 193

Dinan S, see Malbut KE, 255 Donegan C, see Madge SN, 489

Duckers J, see Klocker J, 77

Dudley NJ, Age- and sex-related bias in the management of heart disease in a district general hospital, 37; see also Barton AL, 144

Dunn RB, Audit, antithrombotics and atrial fibrillation—going full circle, 327

Ebrahim S, see Lawlor DA, 169 Edison P, see Johansen A, 488 Elder AT, see Dudley NJ, 37 Elkuch P, see Stuck AE, 463

Elliott RA, Antithrombotic prescribing in atrial fibrillation: application of a prescribing indicator and multidisciplinary feedback to improve prescribing, 391

Elrick A, see Close JCT, 488

Elwood PC, Vascular disease and cognitive function in older men in the Caerphilly cohort, 43

Emms NW, Hip pathology can masquerade as knee pain in adults, 67

English P, Aortic dissection and rupture presenting as suprasternal bruising and neck swelling, 310

Evans A, see Sulch D, 175 Evans O, see Bowling A, 187 Eynan N, see Beloosesky Y, 477

FAQT Study Investigators, see Happe S, 349

Fasoli A, see Giannini E, 457 Ferrucci L, see Rozzini R, 277 Fitzpatrick R, see Heitterachi E, 181

Fletcher A, The end of age: but not for the worse off, 11; see also The National Service Framework—suggestions about priorities for policy development welcome, 409

Ford GA, Anti-psychotic drug use in older people, 225Franks W, Photodynamic therapy for age-related macular degeneration, 5

Frederiks CMA, see Vloet LCM, 211 Frisoni GB, see Rozzini R, 277; see also Zanetti O, 193

Furbers CD, see Kaplan RC 217

Furberg CD, see Kaplan RC, 217 Füsgen I, see Püllen R, 126

Gallacher JEJ, see Elwood PC, 43 Gardiner K, see Mitchell RM, 323 Gavazzi G, see Schoevaerdts D, 219

George ML, Colonoscopy in older patients: a safe and sound practice (Letter), 80

Geroldi C, see Zanetti O, 193

Giannini E, Influence of age on clinical presentation, therapeutic options, and prognosis in anti-HCV positive cirrhotic patients with hepatocellular carcinoma, 457 Gillespie ND, see Hutcheon SD, 295 Gilliland A, see O'Reilly D, 385 Gladman JRF, see Carpenter I, 97 Gormley G, see O'Reilly D, 385 Grabau W, see Al-Sardar H, 481 Gray A, see Seshamani M, 287 Greenwood YA, see Yohannes AM, 355

Greig C, The trainability of elderly people, 223
Grimely Evans J, see Price JD, 307; see also National initiatives in ageing research in the United Kingdom, 93; see also Price JD, 227

Grinblat J, see Beloosesky Y, 477 Gupta A, see Klocker J, 77 Guralnik JM, see Rozzini R, 277

Halter M, see Close JCT, 488

Hampton JR, Treatment bias and clinical judgement, 3
Happe S, The association between caregiver burden and
sleep disturbances in partners of patients with Parkinson's
disease, 349

Hardey M, see Payne S, 107

Harwood RH, Specialist nurses to evaluate elderly in-patient referred to a department of geriatric medicine, 401

Hauer K, Intensive physical training in geriatric patients after severe falls and hip surgery, 49

Hawker S, see Payne S, 107 Heatley M, see Heatley RP, 485

Heatley RP, Hymn writers appear to live longer (Letter), 485

Heatley RV, see Heatley RP, 485 Heckbert SR, see Kaplan RC, 217

Heitterachi E, Blood pressure changes on upright tilting predict falls in older people, 181

Hendra TJ, Publications by registrars completing higher specialist training in geriatric medicine in the United Kingdom in 1999/2000 (Letter), 81

Henry C, Creutzfeldt-Jakob disease in elderly people, 7

Hill A, see Malone M, 471 Hoefnagels WHL, see Vloet LCM, 211

Hooper R, see Oborne CA, 435 Hosein I, see Johansen A, 488

Howlett I, see Chesser TJS, 343

Hughes JC, Confidentiality and ognitive impairment: professional and philosophical ethics, 147

Hunt B, see Kelly J, 101

Hunt BJ, see Kelly J, 159; see also Kelly J, 235

Hutcheon SD, B-type natriuretic peptide in the diagnosis of cardiac disease in elderly day hospital patients, 295

Iliffe S, see Stuck AE, 463

Jackson SHD, see Dhesi JK, 267; see also Oborne CA, 435 Jadhav VV, see George ML, 80

Jansen RWMM, see Vloet LCM, 211

Johansen A, Clostridium difficile associated diarrhoea: how good are nurses at identifying the disease? (Letter), 487 Jolobe OMP, Treatment bias and clinical judgement, 413 Jones P, see Crome P, 414

Kafetz K, see Arnold N, 397

Kallinen M, Improving cardiovascular fitness by strength

or endurance training in women aged 76-78 years. A population-based, randomized controlled trial, 247

Kalra L, see Sulch D, 175

Kane RL, Geriatrics as a paradigm for good chronic care,

Kaplan RC, Calcium channel blocker use and gastrointestinal tract bleeding among older adults (Letter),

Katona C, see Nelson T, 445

Kelly J, Mortality from pulmonary embolism after acute stroke: can we do better?, 159; see also Occult cancer in older patients presenting with venous thromboembolism, 101; see also Pulmonary embolism and pneumonia may be confounded after acute stroke and may co-exist, 235; see also The effectiveness of cardiovascular interventions in older patients (Letter), 409

Kempson R, see Harwood RH, 401 Kennedy I, see Skelton DA, 119

Kenny RA, Impact of a dedicated syncope and falls facility for older adults on emergency beds, 272; see also Richardson DA, 379

Kerr C, see Payne S, 107

Kim J-I, Longevity and occupation (Letter), 485 Kirkwood TBL, The National Service Framework suggestions about priorities for policy development welcome, 409

Kishore M, see English P, 310

Kitchen G, see Nelson T, 445; see also Richardson B, 335 Klocker J, Ulcerative cutaneous sarcoidosis masquerading as metastatic carcinoma of the breast (Letter), 77

Knapp M, see Nelson T, 445 Koepsell TD, see Kaplan RC, 217 Kristjansson B, see St John PD, 373 Kurrle SE, see Cameron ID, 319

Langhorne P, see Rodgers H, 151; see also What are the components of effective stroke unit care?, 365

Lawlor DA, Agreement between measured and self-reported weight in older women. Results from the Brisith Women's Heart and Health Study, 169

Leathley M, see Lightbody E, 203 Lee CM, see Wood R, 131

Lee E, see Blake H, 451

Lewis R, see Kelly J, 101; see also Kelly J, 409 Lewis RR, see Kelly J, 159; see also Kelly J, 235

Lewis SC, see Mead GE, 429 Li KC, see Oborne CA, 435

Lightbody E, Evaluation of a nurse-led falls prevention programme versus usual care: a randomized controlled trial, 203

Lin J-D, see Liou M-J, 483 Lincoln NB, see Blake H, 451

Liou M-J, Hip fractures: an increasing geriatric problem in Taiwan (Letter), 483

Livingston G, see Nelson T, 445; see also Richardson B, 335

Lord SR, see Heitterachi E, 181 Louw SJ, see Hughes JC, 147

Low JA, Air travel in older people, 17

Lowman A, see Henry C, 7

Lye M, see Lightbody E, 203; see also Strain WD, 218

Macdonald AID, Dementia and use of psychotropic medication in non- 'Elderly mentally Infirm' nursing homes in South East England, 58

Madan S, Dedicated to elderly care: geriatric medicine on the internet, 70

Madge SN, Active idiopathic Systemic Lupus Erythematosus in a 94-year-old woman necessitating immunosuppressive therapy (Letter), 489

Malbut KE, Aerobic training in the 'oldest old': the effect of 24 weeks of training, 255

Mallet M, Refeeding syndrome, 65

Malone M, Three-month follow up of patients discharged from a geriatric day hospital, 471

Manela M, see Nelson T, 445 Maraj B, see Wood R, 131 Mariotto A, see Bowling A, 187 Martin AT, see Dudley NJ, 37 Martin F, see Oliver D, 75

Martindale AD, see Witham MD, 407

Masud T, see Pearson B, 141 McAlpine C, see Burleigh E, 303 McCallion K, see Mitchell RM, 323 McClay Scott M, see Dudley NJ, 37

McCloskey I, see Heitterachi E, 181 McDowell I, see St John PD, 373

McKee D, see Dudley NJ, 37 McKinney M, see Blake H, 451

McMurdo MET, 'Guideline for the prevention of falls in older persons': essential reading, 13; see also Hutcheon SD, 295

Mead GE, Extensive haemorrhagic transformation of infarct: might it be an important cause of primary intracerebral haemorrhage? (Review), 429; see also Cvoro V, 85

Melbourn A, see Sulch D, 175 Meyerkort P, see Heitterachi E, 181

Michel JP, see Schoevaerdts D, 219 Mitchell RM, Colonoscopy has a high diagnostic yield and

low complication rate in older patients (Letter), 323 Mohanaruban K, see Mukhopadhyay D, 87

Moniz C, see Dhesi JK, 267

Montgomery PM, see St John PD, 373

Montgomery SC, see Emms NW, 67

Moretti R, Headache and Alzheimer's disease (Letter), 79

Morrant JD, see Harwood RH, 401

Morse R, see Klocker J, 77

Mukhopadhyay D, Iron deficiency anaemia in older people: investigation, management and treatment, 87

Nakagaichi M, see Shigematsu R, 261

Nelson T, Slicing the health service cake: the Islington Study,

Nho H, see Shigematsu R, 261

Oborne CA, An indicator of appropriate neuroleptic prescribing in nursing homes, 435; see also Elliott RA, 391

O'Connor M, see Emms NW, 67

O'Dell SD, see Sayer AA, 468

Oliver D, Bed falls and bedrails-what should we do?, 415; see also Preventing patient falls (Letter), 75

O'Mahony MS, see Bandyopadhyay S, 23

O'Reilly D, Standard indicators of deprivation: do they

disadvantage older people?, 197; see also Influenza vaccinations in Northern Ireland: are older patients missing out?. 385

Oriani M, see Zanetti O, 193

O'Shea D, see Kenny RA, 272; see also Crowe S, 487

Oster P, see Hauer K, 49 Owen P, see Klocker J, 77

Parker SG, see Carpenter I, 97

Patterson C, The integrated care pathway epidemic — is stroke next?, 157

Payne S, The communication of information about older people between health and social care practitioners, 107

Pearson B, Unplanned readmission to hospital: a comparison of the views of general practitioners and hospital staff, 141

Pereira EAC, see Williams JH, 440

Perrenoud JJ, see Schoevaerdts D, 219

Philp I, The National Service Framework—suggestions about priorities for policy development welcome, 409

Pickering J, see Elwood PC, 43 Pollock A, see Langhorne P, 365

Popp R, see Püllen R, 126 Potter J, see Carpenter I, 97

Pounsford JC, see Chesser TJS 343

Powell J, see Payne S, 107

Price JD, N-of-I randomized controlled trials ('N-of-I trials'): singularly useful in geriatric medicine, 227; see also An N-of-I randomized controlled trial ('N-of-I trial') of donepezil in the treatment of non- progressive amnestic syndrome, 307

Pro-Age Pilot Study Group, see Stuck AE, 463

Psaty BM, see Kaplan RC, 217

Püllen R, Prospective randomized double-blind study of the wound- debriding effects of collagenase and fibrinolysis/ deoxyribonuclease in pressure ulcers, 126

Rafferty C, see O'Reilly D, 385 Ranieri P, see Rozzini R, 277

Reeves I, see Burleigh E, 303 Reilly P, see O'Reilly D, 385

Relja G, see Moretti R, 79 Reyes R, see Wood R, 131

Richardson B, The effect of education on knowledge and management of elder abuse: a randomized controlled trial, 335

Richardson DA, Presence of a carotid bruit in adults with unexplained or recurrent falls: implications for carotid sinus massage, 379

Risso D, see Giannini E, 457

Roberts A, see Macdonald AJD, 58 Rodgers H, Alternatives to hospital care (Letter), 151

Romagnoli P, see Giannini E, 457 Rosendaal FR, see Kaplan RC, 217

Rozzini R, Geriatric Index of Comorbidity: validation and comparison with other measures of comorbidity, 277

Rudd A, see Kelly J, 235

Rudd T, see Kelly J, 101; see also Kelly J, 159; see also Kelly J, 409

Rutherford OM, see Skelton DA, 119

Sabatini T, see Rozzini R, 277 Sahu S, see Macdonald AJD, 58 Sakai T, see Shigematsu R, 261 Sax H, see Schoevaerdts D, 219

Sayer AA, Polymorphism of the IGF2 gene, birth weight and grip strength in adult men, 468

Scalvini S, Telecardiology: a new support for general practitioners in the management of elderly patients (Letter), 153

Schoevaerdts D, Endocarditis in older people (Letter), 219

Schuler M, see Hauer K, 49

Seed P, see Oliver D, 75

Seshamani M, The impact of ageing on expenditures in the National Health Service, 287

Shamra A, see Lightbody E, 203 Shaw FE, see Richardson DA, 379

Shigematsu R, Dance-based aerobic exercise may improve indices of falling risk in older women, 261

Sieber CC, see Schoevaerdts D, 219

Sipila S, see Kallinen M, 247

Skelly R, see Pearson B, 141

Skelton DA, Explosive power and asymmetry in leg muscle function in frequent fallers and non-fallers aged over 65, 119

Smeeth L, see Fletcher A, 11; see also Fletcher A, 409

Smith G, see Malone M, 471

Smits R, see Vloet LCM, 211

Smyth B, see O'Reilly D, 385 Specht N, see Hauer K, 49

St John PD. Cognitive scores, even within the normal range, predict death and institutionalization, 373

Steele K, see O'Reilly D, 385 Steen N, see Richardson DA, 379 Stevenson M, see O'Reilly D, 385

Strain WD, Chronic pain, bereavement and overdose in a depressed elderly woman (Letter), 218

Streifler JY, see Beloosesky Y, 477

Stroke Unit Trialists' Collaboration, The, see Langhorne P,

Struthers AD, see Hutcheon SD, 295

Stuck AE, Feasibility and yield of a self- administered questionnaire for health risk appraisal in older people in three European countries, 463

Sulch D, Does an integrated care pathway improve processes of care in stroke rehabilitation? A randomized controlled trial, 175

Suominen H, see Kallinen M, 247

Swift CG, see Oborne CA, 435; see also Stuck AE, 463; see also Close JCT, 488

Swift RI, see George ML, 80 Syddall H, see Sayer AA, 468

Tanaka K, see Shigematsu R, 261 Taylor M, see Lawlor DA, 169

Testa R, see Giannini E, 457 Thomas J, Not all DNR decisions are black and white, 412 Thomas SHL, see Ford GA, 225

Torgerson D, Purity, pragmatism and hip protector pads (Letter), 319

Torre P. see Moretti R. 79

Trabucchi M, see Rozzini R, 277

Treece K, see Blake H, 451 Tsai J-S, see Liou M-J, 483 Turner JJ, see Curtis NJ, 151 Tutton MG, see George ML, 80

van Heyningen C, see Curtis NJ, 151 Vasishta S, see Johansen A, 488 Vloet LCM. Evaluation of skills and know

Vloet LCM, Evaluation of skills and knowledge on orthostatic blood pressure measurements in elder patients, 211

Volkers P, see Püllen R, 126

Vreeburg A, Airline travel at high altitude may also put elderly people at risk of hypoxaemia (Letter), 486

Wagg A, Medical therapy for the overactive bladder in the elderly, 241

Waite J, Keep taking the medicine?, 423

Walker HF, see Kenny RA, 272 Wanklyn P, see Collins DR, 405

Ward AJ, see Chesser TJS, 343

Ward BR, see Castleden CM, 313 Wardlaw JM, see Mead GE, 429

Watkins C, see Lightbody E, 203 Watson P, see Mitchell RM, 323 White MJ, see Carrington CA, 359

Wilcock GK, The future of Age and Ageing, I

Wileman D, see Pearson B, 141

Will RG, see Henry C, 7

Williams JH, Minimal hippocampal width relates to plasma homocysteine in community- dwelling older people, 440

Witham MD, Occult transfixation of the sigmoid colon by suprapubic catheter, 407

Wood R, Short-term heart rate variability during a cognitive challenge in young and older adults, 131

Woods B, Reality orientation: a welcome return?, 155

Woodward MC, see Elliott RA, 391 Wynne JA, see Curnock E, 322

Yabushita N, see Shigematsu R, 261

Yohannes AM. Mortality predictors in disabling chronic obstructive pulmonary disease in old age, 137; see also Reliability of the Manchester respiratory activities of daily living questionnaire as a postal questionnaire, 355

Young A, see Malbut KE, 255

Zanelli E, see Scalvini S, 153

Zanetti O, Predictors of cognitive improvement after reality orientation in Alzheimer's disease, 193

Keyword index

80 and over, 255 abbreviated mental test (short report), 303 abuse of elderly, 335 accident and emergency department, 379 Activity of Daily Living, 277, 355 aetiology, 343 age, 37, 457 aged, 119, 247, 255, 463 (short report), 211, 401 ageing, 131, 267, 287, 440 ageism (commentary), 11 agility, 261 airline travel (letter), 486 alternatives to hospital care (letter), 151 Alzheimer's disease, 193 (letter), 79 amnesia (case report), 307 (letter), 76 anaemia (commentary), 87 angina, 43 anticoagulants (commentary), 159 anticoagulation (editorial), 85 antipsychotic agents, 58, 435 anti-psychotic drug use (editorial), 225 antithrombotics (editorial), 327 aorta (case report), 310 aspirin, 391 assessment (website), 313 (short report), 397 asymmetry, 119 atrial fibrillation, 391 (editorial), 327

autonomic nervous function, 359

β-blockers (review), 23 balance, 261

autonomic, 131

basilar artery ectasia (case report), 481 bed falls (hobby horse), 415 bedrails (hobby horse), 415 bereavement (letter), 218 birth weight (short report), 468 blindness (commentary), 5 blood pressure, 181, 359 blood pressure measurement (short report), 211 body mass index, 440 brain abscess (case report), 477

C

calcium channel blocker (letter), 217 cardio pulmonary resuscitation (letter), 412 cardiology, 187 cardiorespiratory fitness (editorial), 223 cardiovagal baroreflex, 359 cardiovascular, 131 cardiovascular disease, 43, 295 cardiovascular fitness, 247 cardiovascular intervention (letter), 409 care for the elderly (editorial), 423 care pathway, 365 caregiver, 349 carotid bruit, 379 carotid sinus hypersensitivity, 379 cerebral haemorrhage (review), 429 cerebral infarct (review), 429 cholinesterase-inhibitors (case report), 307 chronic care (commentary...for debate!), 331 chronic obstructive pulmonary disease, 137, 355 chronic pain (letter), 218 cirrhosis, 457 clinical audit (editorial), 327

clinical features (case report), 310 clinical judgement (editorial), 3 CLIP score, 457 Clostridium difficile associated diarrhoea (letter), 487 cognition, 373 cognitive assessment (short report), 303 cognitive function, 43 cognitive impairment, 451 (letter), 487 (short report), 303 (viewpoint), 147 colonoscopy (letter), 80, 323 communication (systematic review), 107 comorbidity, 277 complication (case report), 477 comprehensive geriatric assessment (short report), 471 confidentiality (viewpoint), 147 confusion (case report), 65 congestive heart failure (review), 29 Creutzfeldt-Jakob disease (commentary), 7

D

day hospital, 295 (short report), 471 debridement, 126 deep vein thrombosis (case report), 144 (commentary), 101 (editorial), 85 demeclocycline (letter), 151 dementia, 58, 445 (editorial), 155 (viewpoint), 147 demographic trends, 287 depression, 349, 445 (short report), 397 deprivation, 197 diagnosis (case report), 310 diagnostic errors (short report), 211 diastolic cardiac dysfunction (review), 29 disability, 137, 355 disorientation (review), 17

dissection (case report), 310 DNR (letter), 412 driving (viewpoint), 147 drug, 391, 435 drug therapy (case report), 307

E

economy class syndrome (review), 17 education, 335 (website), 313 elder abuse (editorial), 329 elderly, 137, 197, 343, 355, 373 (review), 241 elderly care (systematic review), 107 elderly people, 187 (short report), 391 electrocardiography, 295 emergency admissions, 272 endocarditis in older people (letter), 219 endurance training, 255 ethics (viewpoint), 147 euphoria, 193 exercise, 247 explosive power, 119

F

faecal incontinence
(letter), 322
fall prevention, 203
falls, 119, 181, 267, 272
(commentary), 13
(letter), 75, 488
flight
(review), 17
formal and informal care, 445
frontal lobe syndrome, 193
functional hypoparathyroidism
(letter), 486
functional status, 277

G

gastrointestinal tract bleeding (letter), 217 general practitioners (short report), 141 geriatric medicine (commentary), 227 (letter), 81 (website), 70, 313 geriatric rehabilitation, 49 geriatrics (commentary...for debate!), 331 gerontology (website), 70 grip strength (short report), 468

H

headache (letter), 79 health care, 391, 435 health expenditures, 287 health promotion, 463 health risk appraisal, 463 haemorrhagic transformation of infarct (review), 429 heart failure (review), 23 heart, 131 heart rate, 359 hepatitis C virus, 457 hepatocellular carcinoma, 457 hiccoughs (short report), 405 hip fracture, 343 (letter), 483 hip pathology (case report), 67 hip protector pads (letter), 319 hippocampus, 440 hip-surgery, 49 homocysteine, 440 hospital (short report), 401 hospital staff (short report), 141 hymn writers (letter), 483 hyponatraemia (letters), 151 hypovitaminosis D (letter), 486 hypoxaemia (letter), 486 hypoxia

IGF2 gene (short report), 468 inferior vena caval filters (editorial), 85 influenza vaccines, 385 (letter), 322 information (website), 313 institutionalization, 373

I

(review), 17

integrated care pathways (editorial), 157 intermediate care (commentary), 97 intermittent claudication, 43 internet (website), 70 inter-professional (systematic review), 107 intracerebral haemorrhage (case report), 144 (editorial), 85 iron deficiency anaemia (commentary), 87 irreversible nephrotoxicity (letter), 151 ischemic stroke (case report), 477

K

knee pain (case report), 67

L

later life, 165
L-Dopa
(short report), 405
Locked-in syndrome
(case report), 481
locomotion, 261
London Ambulance Service
(letter), 488
longevity and occupation
(letter), 485
looking after young children
(letter), 487

M

macular degeneration
(commentary), 5
magnetic resonance imaging, 440
management of heart disease, 37
maximal aerobic power, 255
Medical Research Council
(commentary), 93
mental disorders, 58
mini-mental state examination, 373
mortality, 137, 165, 373
muscle strength, 119
myocardial infarction, 43

N

nasogastric feeding (case report), 65 national initiatives in ageing research (commentary), 93 National Service Framework (letter), 409 National Service Framework for Older People (letter), 488 natriuretic peptides, 295 N-of-1 randomized controlled trial (commentary), 227 (case report), 307 Nottingham Neck of Femur Study (letter), 486 nurse assessment (short report), 401 nursing homes, 58, 435

0

obesity, 169 occult cancer (commentary), 101 older adults, 272 (letter), 217 older patients, 385 older people, 203 (short report), 141 older women, 169 Omnibus Reconciliation Act 1990 (editorial), 423 orthostatic hypotension, 181 (short report), 211 outcome, 175 (short report), 401 overactive bladder (review), 241 overdose (letter), 218

P

Paget's disease (case report), 67 Parkinson's disease, 349 partner, 349 pathway, 175 patient discharge (systematic review), 107 perceived exertion, 255 performance test, 277 pharmacotheraphy (review), 241 photodynamic therapy (commentary), 5 physical training, 49 pneumonia (review), 235 postoperative complications (case report), 407 poverty, 197 predictor variables, 193 prescriptions, 391, 435 pressure ulcer, 126 prevalence, 58

prevention, 463
processes, 175
prognosis, 457
prolactinomas
(letter), 321
psychotropic drugs, 58
publications by registrars
(letter), 81
pulmonary embolism
(commentary), 101, 159
(editorial), 85
(review), 235

0

quality assurance, 391 quality indicators, 435 quality of health care, 435

R

randomized controlled trial, 49, 335 (case report), 307 randomized trial, 365 rationing, 187 reaction time, 43 reality orientation, 193 (editorial), 155 refeeding syndrome (case report), 65 rehabilitation, 175, 365 (short report), 401 Reith lectures (commentary), 11 risk factors, 463

S

screening, 451 sedative medicine (editorial), 423 sensitivity, 451 service usage, 445 sex, 37 short-term responsiveness, 193 skills (short report), 211 sleep, 349 social participation, 165 specificity, 451 stress, 131 stroke, 175, 451 (editorial), 157 (review), 235, 429 stroke unit, 365 syncope, 272 systematic review, 365 (systematic review), 107 Systemic Lupus Erythematosus (letter), 489

systolic cardiac dysfunction (review), 29

T

Telecardiology (letter), 153 temperature, 343 therapy, 457 trainability of elderly people (editorial), 223 treatment, 126 treatment bias (editorial), 3 (letter), 413

U

ulcerative cutaneous sarcoidosis (letter), 77 unexplained or recurrent falls, 379 unplanned readmission to hospital (short report), 141 upright tilt, 181 urinary catheter (case report), 407

vena caval filters (case report), 144 venous thromboembolism (commentary), 101, 159 vitamin D, 267

W

waiting lists, 187 warfarin, 391 website (website), 70, 313 weight, 169 women, 247 world wide web (website), 70

